

**Uri-Chek™ 10SG Urinalysis Reagent Strips****SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION**

Product Identification: Uri-Chek™ 10SG Urinalysis Reagent Strips

Ref No. 1280-100

Company Identification: Stanbio Laboratory  
1261 North Main Street  
Boerne, TX 78006

Telephone Number: (830) 249-0772

Website: <http://www.stanbio.com>**SECTION 2 – PRODUCT COMPOSITION**

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

**SECTION 3 – HAZARDS IDENTIFICATION**

The reagent strips are not considered hazardous by the OSHA Hazard Communication Standard (U.S. 29 CFR 1910.1200).

Not expected to produce significant adverse health effects when the recommended instructions for use are followed. No known effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.

**SECTION 4 – FIRST AID MEASURES**

Measures at accidental release.

INHALATION: Remove victim to fresh air. Seek medical attention.  
EYES: Flush eyes including under the eyelids with water for 15 minutes while holding eyelids open. Seek medical attention.  
SKIN: Flush skin with water. Wash affected area thoroughly with soap and water. Remove contaminated clothing. If irritation occurs, seek medical attention.  
INGESTION: Do not induce vomiting unless directed by medical personnel. Wash out mouth with water. Seek medical attention.

**SECTION 5 – FIRE FIGHTING MEASURES**

No specific fire or explosion hazard.

EXTINGUISHING MEDIA: In case of surrounding fire use foam, dry chemical or water spray.

SPECIAL FIRE FIGHTING PROCEDURE: Clear fire area of unprotected personnel. Do not enter fire area without full bunker gear, helmet with face shield, bunker coats, gloves and rubber boots. Include a positive pressure NIOSH approved self-contained breathing apparatus.

## Uri-Chek™ 10SG Urinalysis Reagent Strips

UNUSUAL FIRE AND EXPLOSION HAZARDS: No specific data.

### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

PERSON RELATED MEASURES: Wear personal protective equipment to the situation (protection, gloves, etc.)

ENVIRONMENTAL PROTECTION: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

SMALL SPILL: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

### **SECTION 7 – HANDLING AND STORAGE**

HANDLING: Put on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in area where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking,

STORAGE: Store at room temperature 15 – 30°C. Store in original container protected from direct sunlight in a dry and well ventilated area away from food and drink. Do not store in unlabeled containers.

### **SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION**

Normal personal protection should be worn, e.g, lab coat, eye wear (goggles), and gloves.

### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

The product contains affixed pads impregnated with specific chemicals and then dried. These pads are attached to a plastic laminate.

### **SECTION 10 – STABILITY AND REACTIVITY**

The product is considered stable. Under normal conditions of storage and use, hazardous decomposition and polymerization will not occur.

### **SECTION 11 – TOXICOLOGICAL INFORMATION**

Under normal conditions and wearing protective personal equipment, the product does not pose toxicological problems.

### **SECTION 12 – ECOLOGICAL INFORMATION**

No known significant effects or critical hazards.

### **SECTION 13 – DISPOSAL CONSIDERATIONS**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### **SECTION 14 – TRANSPORT INFORMATION**

The product is not regulated.

**Uri-Chek™ 10SG Urinalysis Reagent Strips**

**SECTION 15 – REGULATORY INFORMATION**

The product is not regulated.

**SECTION 16 – OTHER INFORMATION**

The information contained in this MSDS is believed to be accurate and represents the best information currently available. Stanbio Laboratory makes no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should determine suitability of the information contained in MSDS for their particular purpose.

In no way shall Stanbio Laboratory be liable for any claims, losses or damages resulting from using information contained in MSDS.